

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHS-PROD-734_default.lock.xml vs CC-JUDO-BUILDJUDOHS-PROD-733_default.lock.xml

judo-api-specs

ee6df44 CSNMR-5534: Change name of license_source to source to match spec conventions

meta-judo

c191789 CSNMR-5534: Update SRCREV

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHS-PROD-733_default.lock.xml vs CC-JUDO-BUILDJUDOHS-PROD-732_default.lock.xml

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHS-PROD-732_default.lock.xml vs CC-JUDO-BUILDJUDOHS-PROD-731_default.lock.xml

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHS-PROD-731_default.lock.xml vs CC-JUDO-BUILDJUDOHS-PROD-730_default.lock.xml

judo-api-specs

c920c83 CSNMR-5534: Add license source field to license status update

judo-auto-test

19916a6 CSNMR-5393 - Implement CAN bus configuration handling keywords

judo-cfg-agents

af5bc45 CSNMR-5534: Add tracked source of refresh request to license process state message

meta-judo

1b13fa3 CSNMR-5534: Update SRCREV

71f969b Bugfix: Use correct nrc7394 halow module FW file

meta-judo-proprietary

2a0f2d2 CSNMR-5534: Update SRCREV

nrc7394_sw_pkg

7068a25 Bugfix: Fix default FW file

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHS-PROD-730_default.lock.xml vs CC-JUDO-BUILDJUDOHS-PROD-729_default.lock.xml

yocto-docs

7570d210e _templates/footer.html: show a dynamically created id of the docs
065e70a62 set_versions.py: set a more accurate DISTRO value
a8749670e switchers.js: rework the logic and improve it
b0a9cf917 set_versions.py: remove duplicate and unneeded logic

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHS-PROD-729_default.lock.xml vs CC-JUDO-BUILDJUDOHS-PROD-728_default.lock.xml

judo-radio-utils

460c5cb CSNMR-4649 Functional Test Updates for Swift

meta-bedrock

77281fb BEDROCK-183: Force setting adminuser password on first login
dc50134 BEDROCK-183: openssh: Remove debug-tweaks
7843d41 packagegroup-bedrock-core: Remove openssl-openssl-module-legacy
d25d879 Add systemd-analyze to os images

meta-judo

5ae3694 CSNMR-4649: Add openssh-misc package to CI image
bbf9402 CSNMR-4649: Add Sumo test setup RPi to hostname lookup

meta-judo-bsp

ab82d76 CSNMR-4649: judo-radio-utils: Package systemd service directories
18a12f7 CSNMR-4649: judo-radio-utils: Update SRCREV

meta-judo-proprietary

3532a4b CSNMR-4649: Bridge UUT and secondary unit MQTT brokers to RPi broker
5d463af CSNMR-4649: Tweak keyfile name in ssh-add helper message
0c262ed CSNMR-4649: python3-mqtt-api: update SRCREV
56aef79 CSNMR-4649 Functional Test Updates for Swift

mqtt-api

1808b88 CSNMR-4649: mqtt-api-controller.py: Enable functional test service on UUT at startup
3e6fdfb CSNMR-4649: mqtt-select-device-id.py: Allow selecting Sumo device IDs
88dde3e CSNMR-4649: mqtt-api-monitor: Use event_diag_gnss_data for GNSS tests
015cdc4 CSNMR-4649: mqtt-api-controller: Allow exiting session without stopping existing rec
26d382a CSNMR-4649: scripts: Add scripts for setting up HaLow and Wi-Fi STAs
5e1aeec CSNMR-4649: scripts: Exit after setting up Wi-Fi/HaLow AP

Commit summaries (start not end) from CC- JUDO-BUILDJUDOHSProd-728_default.lock.xml vs CC-JUDO-BUILDJUDOHSProd-727_default.lock.xml

cfg-mgr

a16b400 CSNMR-4816: Increase timeout value for entitlement checks due to increased traffic
2ba6e90 CSNMR-4816: Add startup check to cache role entitlement
caf2f23 CSNMR-4816: Allow license timeouts to trigger activation and expiration timeouts
66d169e CSNMR-4816: Remove hash check for license flag

judo-auto-test

72f9b67 CSNMR-4816 Skip licensing test for CSNMR-5534
3c92cef CSNMR-4816 Fix test Reboot Initiates License Refresh
848d8b7 CSNMR-4816 Add new keywords

judo-cfg-agents

969efb1 CSNMR-4816: Check access token on connect before confirming remote connection
9401cae CSNMR-4816: Fix UHF agent licensing issue
b88e219 CSNMR-4816: Increase the license forced refresh period for internal testing purposes
5f1fd74 CSNMR-4816: Enable stage env by default for licensing

meta-judo-proprietary

13a689a CSNMR-4816: Update SRCREV for judo-cfg-agent and cfg-mgr
c3ca1e7 CSNMR-4816: Fix list formatting in judo-cfg-agent

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-727_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-726_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-726_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-725_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-725_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-724_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-724_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-723_default.lock.xml

judo-auto-test

9b10ab0 CSNMR-5515 Remove deprecated keywords
03ba649 CSNMR-5515 Fix lint problems in RF tests

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-723_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-722_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-722_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-721_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-721_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-720_default.lock.xml

asynccapi-spec-obj

9a969e5 ValidationError: Prevent error generator exhaustion
f451e08 .gitignore: ignore build and reports folders

meta-judo-bsp

aab6bc5 Bugfix: Set radio regulator to a fixed voltage
83f4dc9 DeviceTree: remove non-removable property from Wi-Fi
4248776 Wifi Silex SDMAC: configurable IO voltages

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-720_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-719_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-719_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-718_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-718_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-717_default.lock.xml

judo-auto-test

b5097e5 CSNMR-5493 Add Install New Licence test cases
4183750 CSNMR-5493 Add Delete All Licenses keyword
36b40c4 Fixed __init__.py SystemControlLib misspelling

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-717_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-716_default.lock.xml

judo-auto-test

5587434 CSNMR-5331 Add GNSS lease keep-alive to test cases

meta-bedrock

f3a0aa0 BEDROCK-195: hostapd: Fix to avoid invalid long SSIDs
4ce9cb2 crun: Fix QA error which is breaking the builds

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHSProd-716_default.lock.xml vs CC-JUDO-BUILDJUDOHSProd-715_default.lock.xml

judo-security

4488171 Replace jabil references with mfg and/or manufacturing

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHSProd-715_default.lock.xml vs CC-JUDO-BUILDJUDOHSProd-714_default.lock.xml

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHSProd-714_default.lock.xml vs CC-JUDO-BUILDJUDOHSProd-713_default.lock.xml

manifest-judo

4d1783c SUMO-483: Update notes on enabling compliance feature

meta-judo

9474a6b Bugfix: Store container data in /data partition

1bab4a6 SUMO-483: Add bluetooth CW recipe when compliance feature present

meta-judo-bsp

8a67899 SUMO-483: Convert ath10k_compliance feature to compliance

meta-judo-proprietary

62ceaaa Bugfix: Install Wi-Fi certification scripts to root home

baeef89 SUMO-483: BT compliance tools and script

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHSProd-713_default.lock.xml vs CC-JUDO-BUILDJUDOHSProd-712_default.lock.xml

meta-judo-bsp

bc33235 program-uhf-fpga: Remove references to Jenkins

cf28d45 CSNMR-5436: program-uhf-fpga: Update to latest nightly FPGA build

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSProd-712_default.lock.xml
vs CC-JUDO-BUILDJUDOHSProd-711_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSProd-711_default.lock.xml
vs CC-JUDO-BUILDJUDOHSProd-710_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSProd-710_default.lock.xml
vs CC-JUDO-BUILDJUDOHSProd-709_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSProd-709_default.lock.xml
vs CC-JUDO-BUILDJUDOHSProd-708_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSProd-708_default.lock.xml
vs CC-JUDO-BUILDJUDOHSProd-707_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSProd-707_default.lock.xml
vs CC-JUDO-BUILDJUDOHSProd-706_default.lock.xml

yocto-docs

98840d241 migration-guides/migration-5.3.rst: add note on *FLAGS behavior change
f40dc0b42 set_versions.py: check that we build from the git repository

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSProd-706_default.lock.xml
vs CC-JUDO-BUILDJUDOHSProd-705_default.lock.xml

meta-judo-proprietary

5aeace2 CSNMR-5265: Update rust-gnss for Stella and Sumo

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-705_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-704_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-704_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-703_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-703_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-702_default.lock.xml

meta-judo-bsp

70286cb CSNMR-5454: suhf-sword: reset FPGA on driver startup
0f13d92 CSNMR-5454: Mark FPGA_RESET pin as active high

scabbard-judo

1b859e3 CSNMR-5454: Toggle FPGA_RESET line on suhf_driver startup

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-702_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-701_default.lock.xml

judo-auto-test

38b2413 Skip GNSS UHF radio test cases

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-701_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-700_default.lock.xml

judo-cfg-agents

5e5feff CSNMR-5478: Remove required id field from license xml schema

meta-judo-proprietary

3e1cc76 CSNMR-5478: Update SRCREV

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHS-PROD-700_default.lock.xml vs CC-JUDO-BUILDJUDOHS-PROD-699_default.lock.xml

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHS-PROD-699_default.lock.xml vs CC-JUDO-BUILDJUDOHS-PROD-698_default.lock.xml

meta-bedrock

24fb9e3 BEDROCK-190: Use nginx instead of lighttpd

yocto-docs

095981c08 migration-guides: add release notes for 4.0.32
e95e60ef8 migration-guides: add release notes for 5.3.1
5fd9d1602 document the OPENSSSH_HOST_KEY_DIR and OPENSSSH_HOST_KEY_DIR_READONLY_CONFIG variables
749b79b1a ref-manual/variables.rst: document new FIT image variables
37667bcc6 brief-yoctoprojectqs/index.rst: remove extra word from text
411122812 dev-manual/packages.rst: fix example recipe version
7a0324b6a dev-manual/packages.rst: rename r0.0 to r0 when PR server is not enabled
09f0430bc dev-manual/packages.rst: pr server: fix and explain why r0.X increments on SRCREV
d3f9b0a5a ref-manual: Document updated UBOOT_CONFIG flow

Commit summaries (start not end) from CC-JUDO-BUILDJUDOHS-PROD-698_default.lock.xml vs CC-JUDO-BUILDJUDOHS-PROD-697_default.lock.xml

judo-api-specs

f395c2b CSNMR-5363: Add system time message to the asyncapi spec

judo-cfg-agents

ef63e7d CSNMR-5363: Add system time message emitter to the diags_agent

meta-judo

68d26bb CSNMR-5363: Update SRCREV for judo-api-specs

meta-judo-proprietary

4fc9bfc CSNMR-5363: Update SRCREV for judo-cfg-agents

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-697_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-696_default.lock.xml**

meta-judo

bc0ece9 CSNMR-5340: Set version of main to 0.27
ab0f466 SUMO-279: ms9xx-bridge -> rust-gnss refactor

meta-judo-bsp

d66b514 SUMO-491: GNSS: use internal TCXO
9cfc28e SUMO-491: Refactor GNSS power management service

meta-judo-proprietary

da5089d SUMO-279: Disable UHF agent on Sumo
f6862e6 SUMO-279: ms9xx-handler -> rust-gnss refactor

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-696_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-695_default.lock.xml**

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-695_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-694_default.lock.xml**

judo-auto-test

d1bcf48 CSNMR-5068: Remove issue from tests/test_wifi.py:test_default_wifi_configuration sk
ef07358 CSNMR-4238: Remove stray dependence on separate uut_mqtt_id fixture
d0a908e CSNMR-4669: Remain in RTKFixed mode for non-zero time
ad16040 CSNMR-4669: Ensure UUT is not in RTKFixed mode before test
3a62040 CSNMR-4669: Add useful error message to test_feed_correction_data_from_uhf_to_gnss
92f95f0 CSNMR-4669: Reinstate skipped test
c31e770 CSNMR-5324: Reinstate skipped test

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-694_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-693_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-693_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-692_default.lock.xml

Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-692_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-691_default.lock.xml

manifest-judo

0a7c2fc BEDROCK-194 yocto mirrors used in manifest-judo

yocto-docs

3ec23e9fb what-i-wish-id-known.rst: remove obsolete poky repo references
b0eed805b test-manual/understand-autobuilder.rst: remove obsolete poky repo references
dfe9140b6 test-manual/reproducible-builds.rst: remove obsolete poky repo references
783aa4d14 ref-manual/yocto-project-supported-features.rst: remove obsolete poky repo referen
805b666f0 ref-manual/system-requirements.rst: fix wrong path to install-buildtools
ca6a30277 ref-manual/system-requirements.rst: remove obsolete poky repo references
66fb4d577 ref-manual/release-process.rst: remove repeated "in the"
e7231e74a ref-manual/release-process.rst: remove obsolete poky repo references
a2e67529c ref-manual/features.rst: remove obsolete poky repo references
173edb82b ref-manual/faq.rst: remove obsolete poky repo references
1923550cd ref-manual/devtool-reference.rst: remove obsolete poky repo references
91605ea5c dev-manual/vulnerabilities.rst: remove obsolete poky repo references
0bcfcf8c7 dev-manual/upgrading-recipes.rst: move meta-openembedded to bitbake-builds/layers
67ae0525f dev-manual/upgrading-recipes.rst: remove obsolete poky repo references
f0c6ba3f4 dev-manual/qemu.rst: remove obsolete poky repo references
faf322d8d dev-manual/python-development-shell.rst: remove obsolete poky repo references
d2cddd8c5 dev-manual/packages.rst: remove obsolete poky repo references
1820232eb dev-manual/licenses.rst: instruct to use git-archive instead of removing .git
f0b3659e6 dev-manual/licenses.rst: remove obsolete poky repo references
6ec9ce47f dev-manual/init-manager.rst: remove obsolete poky repo references
04af92638 dev-manual/custom-template-configuration-directory.rst: remove obsolete poky repo
421ec4742 dev-manual/custom-distribution.rst: remove obsolete poky repo references
6e440c9ae dev-manual/build-quality.rst: remove obsolete poky repo references
6c8d49202 contributor-guide/identify-component.rst: remove obsolete poky repo references

0cb6e102f README: replace obsolete substitution variables
d95db54e4 README: remove obsolete poky repo references
29bd24aee test-manual/runtime-testing.rst: remove obsolete poky repo references
d26aab08b sdk-manual/intro.rst: remove obsolete poky repo references
d7ce0ad51 sdk-manual/appendix-obtain.rst: remove obsolete poky repo references
4c0e97afe ref-manual/variables.rst: remove obsolete poky repo references
89818234a ref-manual/tasks.rst: remove obsolete poky repo references
83d88fa2c ref-manual/structure.rst: remove obsolete poky repo references
63d0fc075 ref-manual/images.rst: remove obsolete poky repo references
864a7ec1e ref-manual/classes.rst: remove obsolete poky repo references
178d31924 overview-manual/yp-intro.rst: remove obsolete poky repo references
345003a75 overview-manual/development-environment.rst: remove obsolete poky repo references
91e96f5c0 overview-manual/concepts.rst: remove obsolete poky repo references
2a2de4da9 migration-guides/migration-1.4.rst: remove obsolete poky repo references
bedbbb69a kernel-dev/common.rst: remove obsolete poky repo references
e8b03ddb0 dev-manual/wic.rst: remove obsolete poky repo references
de6d0a16d dev-manual/wayland.rst: remove obsolete poky repo references
71f9a3f78 dev-manual/temporary-source-code.rst: remove obsolete poky repo references
b184acb48 dev-manual/securing-images.rst: remove obsolete poky repo references
0dceb6dd9 dev-manual/new-recipe.rst: remove obsolete poky repo references
3da2e7bb3 dev-manual/libraries.rst: remove obsolete poky repo references
ff8595ec8 dev-manual/layers.rst: remove obsolete poky repo references
40af24177 dev-manual/layers.rst: re-organize the document
d96a93b1c dev-manual/external-toolchain.rst: remove obsolete poky repo references
8a8a4d77e dev-manual/error-reporting-tool.rst: remove obsolete poky repo references
27cfed1fc dev-manual/debugging.rst: remove obsolete poky repo references
2c45968fd dev-manual/building.rst: remove obsolete poky repo references
472a5c353 contributor-guide/submit-changes.rst: remove obsolete poky repo references
b47987aba kernel-dev/advanced.rst: remove obsolete poky repo references
05a506686 bsp-guide/bsp.rst: remove obsolete poky repo references
68586e603 dev-manual/start.rst: remove obsolete poky repo references
a7c169229 dev-manual/poky-manual-setup.rst: remove obsolete poky repo references
0b909e6c8 transitioning-to-a-custom-environment.rst: remove obsolete poky repo references
d7d5ddeda tree-wide: figures: remove title PNGs
fdc14a205 ref-manual/terms.rst: refresh the OpenEmbedded build system definition
b42c033bf dev-manual/poky-manual-setup.rst: mention the Source Directory
9ad8a0aa7 ref-manual/terms.rst: simplify the Source Directory definition
dd328b79a ref-manual/terms.rst: refresh the OpenEmbedded-Core definition
476780d77 ref-manual/terms.rst: refresh the Build Directory definition
6256a73d7 migration-guides: add release notes for 5.0.15
52ec12522 sdk-manual: appendix-obtain: fix default path for eSDK installer script
ede411d70 sdk-manual: using: fix SDK filename example
41ee642c3 sdk-manual: appendix-obtain: use parsed-literal block for naming convention of the
ffaea8391 sdk-manual: delete sdk-title PNG
39fb14879 sdk-manual: replace sdk-environment PNG with SVG
77b24b4a8 sdk-manual: appendix-obtain: replace eSDK directory structure PNG with a parsed-l

0c68497ec sdk-manual: appendix-obtain: replace directory structure PNG with a parsed-literal
d682bce63 sdk-manual: appending-customizing: use none lexer for BitBake code blocks
10d40604c sdk-manual: working-projects: properly highlight code code-blocks
04c883216 sdk-manual: fix improper indent of general form of tarball installer scripts
c6039ce11 sdk-manual: fix incorrect highlight language for console code-blocks
72354c270 sdk-manual: fix incorrect highlight language for text code-blocks

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-691_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-690_default.lock.xml**

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-690_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-689_default.lock.xml**

cfg-mgr

51b8ab3 CSNMR-4963: Add a timestamp to all outgoing event messages

judo-api-specs

96f7528 CSNMR-4963: Add timestamp spec for all outgoing event messages

judo-cfg-agents

a4d141a CSNMR-4963: Update unit tests to handle the new timestamp field

fb0cbb4 CSNMR-4963: Update reference to cfg-mgr

meta-judo

6dcf9b4 CSNMR-4963: Update SRCREV for judo-api-specs

meta-judo-proprietary

fede53b CSNMR-4963: Update SRCREV for cfg-mgr and judo-cfg-agents

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHS-PROD-689_default.lock.xml
vs CC-JUDO-BUILDJUDOHS-PROD-687_default.lock.xml**

manifest-judo

5fe14e4 Remove sumo logic from bamboo-build

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-687_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-686_default.lock.xml**

judo-auto-test

b036731 CSNMR-5479 Increase timeout for SUB Event Diag Sys Resource test

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-686_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-685_default.lock.xml**

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-685_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-684_default.lock.xml**

judo-cfg-agents

caf9ffb CSNMR-5407: Fix the snapshot tar to keep going on errors

meta-judo-proprietary

a002332 CSNMR-5407: Update SRCREV for judo-cfg-agents

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-684_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-683_default.lock.xml**

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSPPROD-683_default.lock.xml
vs CC-JUDO-BUILDJUDOHSPPROD-682_default.lock.xml**

judo-auto-test

06f9f1d CSNMR-5434 Refactor judmwtlibrary featurelibs for new keywords

ec26b88 CSNMR-5434 Refactor judomqtlibrary single word keywords

1f786bb CSNMR-5444 Add repeating pub gnss lease keyword

**Commit summaries (start not end) from CC-
JUDO-BUILDJUDOHSProd-682_default.lock.xml
vs CC-JUDO-BUILDJUDOHSProd-681_default.lock.xml**

manifest-judo

cefa5d6 CI: bugfix: artifact Sumo full bundles